



SenroxTM



WE BRING
YOU THE

LUXURIES
OF ROYALTY

JAY BHAVANI ENTERPRISE

Cell No.: +91 97265 98111

Email : info@senroxsanitaryware.com

Website : senroxsanitaryware.com

SenroxTM
Sanitaryware

varneshiyaashish@gmail.com

WE BRING
YOU THE

LUXURIES OF ROYALTY



Senrox™

About Us

A very tiny, yet one of the most essential rooms of the house is your bathroom and, so you need to get it done very nicely so that the comforts of the modern bathroom do not escape you. And Rectangle Cera is here with its bathroom fittings and accessories to help you get your bathroom arranged as per your taste.

For the comfort of your loved ones, you need to get it personalized according to their taste. When you are in need of such comfort, you can get in touch with us at Rectangle Cera, one of the leading manufacturers from Surendranagar in Gujarat.

To make your time in the bathroom pleasant and enjoyable, we have the best, colourful and elegant Orissa pans, acupressure Orissa pans, tabletop washbasins, gents' urinals, pedestal washbasins, water closets, ladies urinal and flush bath fittings for you.

Our products are numerous in range and, it will break the monotony of spending time in a bland bathroom and enhance your surroundings with our exciting accessories. You are free to choose what fits your style and personality so that it is as per your taste and liking.


Our products come in modern and contemporary designs that will keep you in awe of them. This is one attribute that has made our company a global name today.



BEGINNING OF A NEW ERA OF TECHNOLOGY

TORNADO FLUSHING

Western Closet(WC) has two or more nozzles that create a centrifugal action. Where the water flows in anticlock wise with downward pressure. This cyclonic action reduces waste buildup and keep the WC cleaner. It is more effective in one flush than most toilets are with multiple flush. And water saving is more than 40% compared with traditional toilets.




TORNADO FLUSHING



SIPHONIC FLUSHING

SIPHONIC FLUSHING

A gravity flush system uses vacuum to pull waste from the toilet bowl through the trapway and into the outline. This is done by the shape of the trapway acting as a siphon. Siphonic toilets tend to have a cleaner bowl and are easier to clean.



Senrox™

RIMLESS

A rimless toilet is simply a toilet without a traditional rim. A direct flush technique shoots water around the edge of a smooth pan. As there is no rim, rimless toilets are easy to clean and more hygienic than a traditional toilet. It is far more powerful flush and more economical than traditional rimmed toilets.



TRADITIONAL
DESIGN



RECTANGLE
DESIGN



SOFT CLOSE



TAKE-OFF SYSTEM



HIDDEN FIXING
SYSTEM



GLAZED SIPHON

ANTIBACTERIAL COATING

OPTIMUM HYGIENE IN THE BATHROOM WITH ANTIBACTERIAL COATING.

Efficient imported chemical is used on the ceramic coating. This AntiBacterial coating which is fired directly into ceramic products for protection throughout the product's life. It remains clean and Germ-free..



Anti
Bacterial



More
Hygienic



More
Ecological

Senrox™



WATER SAVING

Our WCs have a special bowl structure and are specifically designed to flush with both lower (2.5/4 litre) and typical (3/6 litre) water volumes. By using less water, these water saving WCs benefit you and the environment. All water standard height wall-hung frames come with dual flush function as standard in both 2.5/4 litre and 3/6 litre options



SPACE SAVING

A wall-hung WC takes up less room space than a conventional WC and the concealed installation offers flexibility in confined spaces. The range of compact WCs have shorter projection, saving even more space.




ACCESSIBLE

These products are wheelchair accessible and provide enhanced in the bathroom

WASH BASIN FORMS



Wash basin can be used with a pedestal as well as being wall-hung. Basins suitable for use with a counter top can be fitted in three alternative ways



FISHER

A simple, elegant installation system for use with wall hung WCs. The fixings are hidden from sight by the use of internal ABS sleeves, creating a clean, smooth design



WHITE

1. One Piece Closet
6. Wall Hung Closet
7. Water Closet
8. Wash Basin Pedestal
9. One Piece Basin
10. Wash Basin
11. Urinals And Sink
12. Pan
13. Double Colour One Piece Closet

DESIGNER

15. Designer One Piece Basin
17. Designer Wash Basin Pedestal
23. Designer Wash Basin 18"x 12"
24. Double Color Pan
25. Designer Accu Pan
26. Accessories
27. Tank And Seat Cover
28. Concealed Tank
29. Heavy S.S. Kitchen Sink
30. Troubleshooting Guide



Sentro P/S Trap
S Trap : 225mm (9")
P Trap : 160mm (6.3")
Size : 660x350x680mm



Combo P/S Trap
S Trap : 225mm (9")
P Trap : 160mm (6.3")
Size : 630x350x680mm



Recto P/S Trap
S Trap : 225mm (9")
P Trap : 200mm (8")
Size : 635x340x665mm



Vega P/S-Trap
S-Trap : 225mm (9")
P Trap : 195mm (8")
Size : 665x350x730mm



Europa P/S Trap
S Trap : 225mm (9")
P Trap : 170mm (6.7")
Size : 630x350x700mm



Belino P/S Trap
S Trap : 225mm(9"),100mm(4")
P Trap : 205mm (8")
Size : 640x345x700mm



Spice P/S Trap
S Trap : 100mm(4"),225mm (9"), 300mm (12")
P Trap : 175mm (7")
Size : 650x340x680mm



Classic P/S Trap
S Trap : 225mm (9")
P Trap : 190mm (7.5")
Size : 700x380x670mm



A-Aqua jet P/S Trap
S Trap : 225mm (9")
P Trap : 190mm (7.5")
Size : 700x380x670mm



Crystal
S-Trap : 225mm (9"), 100mm (4")
Size : 680x360x730mm



Lava P/S Trap
S Trap : 225mm (9")
P Trap : 170mm (6.7")
Size : 665x355x735mm



Diamond P/S Trap
S Trap : 225mm (9")
P Trap : 175mm (7")
Size : 690x380x765mm



Neo
S Trap : 225mm (9")
Size : 670x350x720mm



Sigma P/S Trap
S Trap : 225mm (9")
P Trap : 175mm (7")
Size : 610x335x685mm



Classy P/S Trap
S Trap : 225mm (9")
P Trap : 145mm (5.7")
Size : 665x355x700mm



Vivo Siphonic
S Trap : 225mm (9")
Size : 650x365x760mm



Chot
Size : 370x490x315mm



Trio
Size : 340x480x350mm



Rubi
Size : 370x490x365mm



Vishaka
Size : 355x530x345mm



Ticco
Size : 360x490x355mm



Cube
Size : 305x525x370mm



Flato P/S Trap
S Trap : 90mm (3.5")
P Trap : 175mm (7")
350x515x395mm



Spigo P/S Trap
S Trap : 100mm (4")
P Trap : 220mm (8.6")
350x560x410mm



Java P/S Trap
S Trap : 90mm (3.5")
P Trap : 170mm (6.7")
350x500x390mm



Camrry P/S Trap
S Trap : 90mm (3.5")
P Trap : 190mm (7.5")
350x530x395mm



EWC Concealed
Size : 360x490x355mm



EWC - S trap
Size : 360x490x355mm



EWC - P trap
Size : 360x490x355mm



Anglo - P trap
Size : 360x490x355mm



Anglo - S trap
Size : 360x490x355mm



Dolphine Set
Size : 460x540x870mm



Big Sterling Set
Size : 635x450x960mm



Mini Sterling Set
Size : 580x430x890mm



Star Gold Set
Size : 580x430x900mm



Polo Set
Size : 580x430x870mm



Repose Set
Size : 558x406x905mm



Classic Set
Size : 508x406x905mm



Supreme Set
Size : 580x430x875mm



Sophia Set
Size : 580x430x875mm



Damaru
Size : 400x400x850mm



Cooter
Size : 385x385x870mm



Silver
Size : 435x435x860mm



Repose
Size : 558x406x190mm



18x12
Size : 450x300x170mm



Classic
Size : 508x406x190mm



Rani
Size : 450x355x175mm

WASH BASIN



Rio
Size : 450x355x170mm



Diamond
Size : 355x279x155mm



Rabbit
Size : 450x330x165mm



Squarish
Size : 450x300x155mm



Mapple
Size : 450x330x165mm



Totto Corner
Size : 400x400x170mm



Apex Urinals
Size : 520x220x270mm



Half Stall Urinal
Size : 600x340x390mm



Gents Urinal
Size : 420x255x335mm



Ladies Urinal
Size : 590x380x135mm



Lab Sink
Size : 600x450x250mm



Lab Sink
Size : 450x300x150mm



P-Trap



S-Trap



Big P-Trap



21" Delux
Size : 530x420x280mm




23" Delux
Size : 580x450x280mm



20" Op
Size : 512x420x280mm



23" Op
Size : 580x450x280mm




21" Acu Pan
Size : 530x420x280mm



20" CT Pan
Size : 512x420x180mm



Easter Pan



MD Pan
Size : 480x390x190



Sento Alpine Blue
S Trap : 225mm (9")
SP Trap : 160mm (6.3")
Size : 660x350x680mm



Sento Aqua Green
S Trap : 225mm (9")
P Trap : 160mm (6.3")
Size : 660x350x680mm



Sento Black
S Trap : 225mm (9")
P Trap : 160mm (6.3")
Size : 660x350x680mm



Sento Burgundy
S Trap : 225mm (9")
P Trap : 160mm (6.3")
Size : 660x350x680mm



Sento Pink
S Trap : 225mm (9")
P Trap : 160mm (6.3")
Size : 660x350x680mm



Sento Red P
S Trap : 225mm (9")
P Trap : 160mm (6.3")
Size : 660x350x680mm



Sento Coffee Brown
S Trap : 225mm (9")
SP Trap : 160mm (6.3")
Size : 660x350x680mm



Sento Red Brown
S Trap : 225mm (9")
P Trap : 160mm (6.3")
Size : 660x350x680mm



Sento WKY
S Trap : 225mm (9")
P Trap : 160mm (6.3")
Size : 660x350x680mm



Sento Majenta
S Trap : 225mm (9")
P Trap : 160mm (6.3")
Size : 660x350x680mm



Sento T. Blue
S Trap : 225mm (9")
P Trap : 160mm (6.3")
Size : 660x350x680mm



Sento Mint Green
S Trap : 225mm (9")
P Trap : 160mm (6.3")
Size : 660x350x680mm



Sento Orange
S Trap : 225mm (9")
P Trap : 160mm (6.3")
Size : 660x350x680mm



Sento Wooden
S Trap : 225mm (9")
P Trap : 160mm (6.3")
Size : 660x350x680mm



Sento Marble
S Trap : 225mm (9")
P Trap : 160mm (6.3")
Size : 660x350x680mm



Sento Multi Color
S Trap : 225mm (9")
P Trap : 160mm (6.3")
Size : 660x350x680mm



Sento Wood Marble
S Trap : 225mm (9")
P Trap : 160mm (6.3")
Size : 660x350x680mm



Spice Red S Trap:100mm
225mm, 300mm
P Trap : 175mm (7")
Size : 650x340x680mm



2401




2402



2404



2405




2406




2407



2408



2409



2410




2411



2412



2414



2416



2417



2415



Star Gold Alpine Blue
Size : 580x430x900mm



Star Gold Aqua Green
Size : 580x430x900mm



Star Gold Magenta
Size : 580x430x900mm



Star Gold Red
Size : 580x430x900mm



Star Gold Mint Green
Size : 580x430x900mm



Star Gold Yellow
Size : 580x430x900mm



Star Gold T. Blue
Size : 580x430x900mm



Star Gold Orange
Size : 580x430x900mm



Star Gold Burgundy
Size : 580x430x900mm



Star Gold Red Brown
Size : 580x430x900mm



Star Gold Dolphin
Size : 580x430x900mm



Star Gold Coffee Brown
Size : 580x430x900mm



Star Gold Marble
Size : 580x430x900mm



Star Gold Black Matt
Size : 580x430x900mm



Star Gold Black
Size : 580x430x900mm



Star Gold Natural
Size : 580x430x900mm



Star Gold Wooden - 1
Size : 580x430x900mm



Star Gold Wooden - 2
Size : 580x430x900mm



Star Gold Black Marble
Size : 580x430x900mm



Star Gold Yellow Marble
Size : 580x430x900mm



Star Gold D.C. Alpine Blue
Size : 580x430x900mm



Star Gold D.C. Aqua Green
Size : 580x430x900mm



Star Gold D.C. Magenta
Size : 580x430x900mm



Star Gold D.C. Mint Green
Size : 580x430x900mm



Polo Apple
Size : 580x430x870mm



Polo Blue Marble
Size : 580x430x870mm



Polo Orange Marble
Size : 580x430x870mm



Polo Black Marble
Size : 580x430x870mm



Polo Coffee Marble
Size : 580x430x870mm



Polo Alpine Blue
Size : 580x430x870mm



Polo Aqua Green
Size : 580x430x870mm



Polo Black
Size : 580x430x870mm



Polo Burgundy
Size : 580x430x870mm



Alp.Blue



Mint Green



Magenta



Aqua Green



Red Brown



Yellow



Coffee Brown



T.Blue



Orange



Alp.Blue Rustic



Black Rustic



Red Brown Rustic



20" Op Alp.Blue

Size : 512x420x280mm



20" Op Coffee Brown

Size : 512x420x280mm



20" Op Magenta

Size : 512x420x280mm



20" Op Mint Green

Size : 512x420x280mm



20" Op Orange

Size : 512x420x280mm



20" Op Red Brown

Size : 512x420x280mm

RUSTIC PAN



20" Op Alp.Blue

Size : 512x420x280mm



20" Op Black

Size : 512x420x280mm



20" Op Magenta


Size : 512x420x280mm



Aqua Green
Size : 530x420x290mm



Alpine Blue
Size : 530x420x290mm




Magenta
Size : 530x420x290mm



Mint Green
Size : 530x420x290mm



Orange
Size : 530x420x290mm



Yellow
Size : 530x420x290mm



T-Blue
Size : 530x420x290mm



Wooden
Size : 530x420x290mm



Coffee Wooden
Size : 530x420x290mm



CONNECTION PIPE (PTMT)
Size : 18" L, 24" L & 1 Mtr.



Waste Coupling
(Brass)



Health Faucet
(Square, Round, D) (Brass)



Urinal Bracket



Urinal Sensor



One Piece Fitting



Wash Basin Rack Bolt (S.S.)



Jet Spray (S.S.)



Inbuilt Jet Spray (Brass)



Wall Hung Rack Bolt (S.S.)



Gasket



Inlet & Outlet Coupler



Prime



Elite



Classic



Vega



Cube



Nova



Crystal



Slander




Platinum



CONCEALED TANK PNEUMATIC
Model No. : 99 with Frame

Model No. : 99



CONCEALED TANK
Model No. : 999 with Frame

Model No. : 999



Single Bowl
Size : 16x18x8



Single Bowl
Size : 20x17x8



Single Bowl
Size : 21x18x8



Single Bowl
Size : 22x18x8



Single Bowl
Size : 24x17x8




Single Bowl
Size : 24x18x9



Double Bowl
Size : 37x18x8



Single Bowl With Drain Bord
Size : 37x18x8




WALL HUNG BASIN

As per shown in the picture, the lag bolt must be grouted into the cement/concrete wall. The bolts must be fixed to the cement/concrete wall. Allow setting & checking than install it using nut and washer.

COUNTER WASHBASIN

At the beginning

1. A skilled or experienced person should install counter lavatories.
2. Avoid using adhesive with this product.
3. Check the waste area and supply tubing if required.
4. Do not open the lavatory from its protective carton until you are ready for installation.
5. Please follow all local building and plumbing codes.



MATERIAL & TOOLS

Measure tape, Keyhole or saber saw, Hammer, Glasses, Rags or Paper toweling, Drill (1/2" dia, drill bit or larger), Pencil, sealant, sharp knife or scissors.

INSTALLATION OF LAVATORY


Please Note : Please install it in a way that future removal from underneath the counter top is possible without damaging the counter top.

1. Please check the desired location for clearance between the back splash, faucet, fixture and cabinet.
2. Please cut the template.
3. Please carefully trace the template on the counter top directed.
4. Please mark the faucet hole centerline on the counter top.
5. Please drill a 1/2" pilot on the inside of the cut line.



For Wood Counter tops:

1. Mark and pre-drill the wood screw holes at the locations shown on the template.
2. Waterproof any exposed areas of wood.



For Marble Counter tops:

1. Position the counter top upside down on foam padding to protect the surface. Mark and drill 3/6" holes 5/8" deep at the locations shown on the template.
2. Use a setting tool and hammer to secure the anchors.



For All Installations:


1. If the counter top has not been installed, install it at this time.
2. Drill the faucet holes according to the faucet installation instructions.
3. Install the faucet to the counter top according to the manufacturer's instructions.
4. Install the drain to the lavatory according to the manufacturer's instructions.

* Note : All dimension in the Catalogue was taken from master piece. Actual dimension of product may vary in few millimeters. Product colour of the designer collection in the catalogue may vary in actual product.

ITEM	PROBLEM	PROBABLE REASONS	CORRECTIVE ACTIONS
Wash Basins / Table Top	1. Overflow Choked And Foul Bad Odor	Waste Coupling Used May Be Full Threaded	Waste Coupling Should Be Changed To Slot Cut Coupling
	2. Water Deposit On Tap Platform Area And Inside Bowl Area	Basin Is Not Fixed In Level Or Bracket Is Not In Level	Should Be Done By Proper Leveling
	3. There Is No Tap Hole In Basin	Tap Hole Could Be Semi Punched From Back Side	Tap Hole Should Be Created By Plumber From Sambunched Area
Ewc / Pan / Anglo Indian	1. Water Not Coming In Bowl Area While Flushing	Flush Bend Is Not Inserted Up To The End Of Inlet Hole	Insert The Flush Pipe Up To The End Of Inlet (For Pan Closet: Check Whether Flush Pipe Is Not Covering Flush Hole Which Is In Both Side Of Inlet Wall)
		Closet / Pan May Be Not Levelled	Should Be Done By Proper Leveling
One Piece Closet	1. Water Not Coming In Bowl Area While Flushing	Mechanism Inside Tank Could Not Working Properly	Change The Centre Pump Of Mechanism
	2. Water Is Continuously Leaking Inside The Bowl	There Is No Water In Flush Tank	Increase The Ball Cock Height To The Max Level
	3. Water Quantity Insufficient For Effective Flushing	Mechanism Inside Tank Could Not Working Properly	Change The Centre Pump Of Mechanism
	4. Uneven Flow Of Water From Both Side Of Closet	Ball Cock Height Adjusted At Lower Level	Increase The Ball Cock Height To The Max Level
Wallhung Water Closet	1. Water Not Coming In Bowl Area While Flushing	Flush Valve May Not Working Properly / Concealed Cistern Is Not Working Properly	Should Change Flush Valve / Concealed Cistern
		Flush Pipe Is Not Inserted Up To The End Of Inlet Hole	Insert The Flush Pipe Up To The End Of Inlet
	2. Water Is Continuously Leaking Inside The Bowl	Closet Is Not Levelled Properly	Closet Should Be In Proper Level
Couple Closet (2 Pcs Closet)	3. Water Quantity Insufficient For Effective Flushing	Connection Between Closet Outlet And Drainage Pipe Is Not Proper	Should Be Done By Proper Connection By Experienced Plumber
	1. Uneven Flow Of Water From Both Side Of Closet Bowl	Both Arm Of Diverter Pipe Not Inserted Equally In Both Side Of The Closet	Both Arm Of Diverter Pipe Should Be Inserted Equally In Both Side Of The Closet
	2. Water Is Leaking Between The Cistern And Closet	Diverter Pipe Not Fixed Properly In The Outlet Of Cistern	Diverter Pipe Should Be Fixed Properly In The Outlet Of Cistern
		Rubber Ring Containing Bolt Is Not Tightened Properly	Rubber Ring Containing Bolt Should Be Tightened Properly

COLOUR RANGE

Running Colours



Special Colours



Super Special Colours



Exclusive Colours



Rustic Colours



Note: Above Printed Colours May Be Differ From Colours Of Ceramic Because Of Printing Limitation. For True Selection Please Refer To Actual Sample Or Shade Board.



CERTIFICATE

This is to Certify that the Management System of

JAY BHAVANI ENTERPRISE

SHAKTI SOCIETY, LIONS NAGAR SO ORDI, MORBI,
MORBI, GUJARAT, 363642

has been audited and found to comply with the requirements of:

ISO 9001:2015
(Quality Management System)

This certificate is valid for the following scope of operations:

**MANUFACTURING OF CERAMIC TILES, CERAMIC SANITARY WARE,
STEEL SINK, MARBLE & GRANITE, PVC CABINET, STEEL SINK.**

Certificate No.: IN240327013

Date of initial registration

27 March 2024

Date of this Certificate

27 March 2024

Recertification Due

26 March 2027



Validity of this certificate is subject to successful completion of surveillance audit on or before due date, in case surveillance audit not conducted this certificate shall be suspended/cancelled.

Signature

Director

For verification and updated information concerning the present certificate visit to www.lmscert.uk/www.lmscert.com
This certificate is property of LMS Assessments Limited and remains valid subject to satisfactory surveillance audits and shall be returned immediately when demanded.

Accreditation



LMS Assessments Limited

International Office: Bartle House, Oxford Court, Manchester,
M2 3WQ(United Kingdom)
Phone : +44-7904664589
(Company Regd. No. 11029176 Registered in England and Wales)
Corporate Office: TF14, 15 Aarohi arcade, Sector 16
Munshi Puriya, Lucknow - 226016, India
Phone : +91 955 464 5464
Visit :- www.lmscert.uk/www.lmscert.com
E-mail :- info@lmscert.uk



LMS/EGAC/F109Q/19/REV00



Senrox

JAY BHAVANI ENTERPRISE

MO: +91 97265 98111

Email :info@senroxsanitaryware.com

Website :senroxsanitaryware.com